

CAS Number: 137-16-6
Product Description: Thamesurf

LS-30

# **SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION**

**CAS Number:** 137-16-6

Product Name: Thamesurf LS-30

Revision Date: Feb 23, 2023 Date Printed: Feb 23, 2023

Version: 1.0 Supersedes Date: N.A.

Manufacturer's Name: Thames River Chemical Corp.

Address: 5230 Harvester Road Burlington, ON, CA, L7L 4X4

Emergency Phone: CHEMTREC (800) 424-9300

Information Phone Number: 905-681-5353

Fax: 905-681-5377

Product/Recommended Uses: For laboratory or industrial use only.

# **SECTION 2) HAZARDS IDENTIFICATION**

#### Classification

Acute toxicity Inhalation Vapor - Category 4

Eye Irritation - Category 2A

Skin Irritation - Category 2

Acute aquatic toxicity - Category 3

Safety data sheet prepared in accordance to the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

## **Pictograms**



## **Signal Word**

Warning

#### **Hazardous Statements - Health**

H332 - Harmful if inhaled

H319 - Causes serious eye irritation

H315 - Causes skin irritation

### **Hazardous Statements - Environmental**

H402 - Harmful to aquatic life

## **Precautionary Statements - General**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

## **Precautionary Statements - Prevention**

P273 - Avoid release to the environment.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

Thamesurf LS-30 Page 1 of 7



CAS Number: 137-16-6
Product Description: Thamesurf

LS-30

P271 - Use only outdoors or in a well-ventilated area.

P264 - Wash/Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection/face protection.

#### **Precautionary Statements - Response**

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a POISON CENTER or doctor, if you feel unwell.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P321 - Specific treatment (see first-aid on the SDS).

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing. And wash it before reuse.

#### **Precautionary Statements - Storage**

No precautionary statement available.

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/container in accordance with local/national/international regulation. Waste management should be in full compliance with national, regional and local laws.

SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS				
CAS	Chemical Name	% By Weight		
0007732-18-5	WATER	70%		
0000137-16-6	GLYCINE, N-METHYL-N-(1-OXODODECYL)-, SODIUM SALT (1:1)	30%		

# **SECTION 4) FIRST-AID MEASURES**

#### Inhalation

Get medical advice/attention if you feel unwell or are concerned. Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

## **Eye Contact**

If eye irritation persists: Get medical advice/attention. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face.

#### **Skin Contact**

If skin irritation occurs or you feel unwell: Get medical advice/attention. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes or until medical aid is available. Wash contaminated clothing before reuse.

#### Ingestion

Rinse mouth. If you feel unwell/If concerned: Call a POISON CENTER or doctor.

## Most important symptoms and effects, both acute and delayed

No data available.

#### Indication of any immediate medical attention and special treatment needed

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Treatment should be supportive and based on

Thamesurf LS-30 Page 2 of 7



CAS Number: 137-16-6 Product Description: Thamesurf

LS-30

the judgement of the physician in response to the reaction of the patient.

## **SECTION 5) FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Small Fire: Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Large Fire: Water spray, fog or alcohol-resistant foam.

### **Unsuitable Extinguishing Media**

Do not use straight stream of water.

#### **Specific Hazards in Case of Fire**

Runoff may pollute waterways Fire will produce irritating and toxic gases.

#### **Fire-fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Cool containers with flooding quantities of water until well after fire is out. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **Special Protective Actions**

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

#### **SECTION 6) ACCIDENTAL RELEASE MEASURES**

## **Emergency Procedure**

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Ventilate closed spaces before entering. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

#### **Recommended Equipment**

Breathing protection is required. Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

#### **Personal Precautions**

Avoid contact with skin, eye or clothing. Do not breathe vapor or mist.

#### **Environmental Precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and Materials for Containment and Cleaning up

Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal. Ventilate area after clean-up is complete.

#### **SECTION 7) HANDLING AND STORAGE**

#### **General**

Wash hands after use. Avoid contact with skin, eye or clothing. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. All containers must be properly labelled. Do not breathe vapor or mist. Eyewash stations and showers should be available in areas where this material is used and stored

#### **Ventilation Requirements**

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to

Thamesurf LS-30 Page 3 of 7



CAS Number: 137-16-6
Product Description: Thamesurf

LS-30

control emissions near the source. Report ventilation failures immediately.

#### **Storage Room Requirements**

Store in a cool, dry, well ventilated area, away from sources of ignition and incompatibilities. Keep containers securely sealed when not in use. Containers that have been opened must be carefully resealed to prevent leakage. Indoor storage should meet OSHA standards and appropriate fire codes. Empty containers retain residue and may be dangerous.

# **SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Eye protection**

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids.

## **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

#### **Respiratory protection**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

#### **Appropriate Engineering Controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

None of the chemicals in Section 3 are regulated under "ACGIH\_carcinogen", "ACGIH\_Notations", "ACGIH\_TLV\_Basis", "ACGIHsmg", "ACGIHsppm", "ACGIHsppm", "CAN\_AL\_Carcinogen", "CAN\_AL\_Notation", "CAN\_ALsmg", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ALsppm", "CAN\_ONsmg", "CAN\_ONsmg", "CAN\_ONtmg", "CAN\_ONtppm", "CAN\_QCVECDmg - CANADA\_QUEBEC VALEUR D"EXPOSITION DE COURTE DURÉE\_mg", "CAN\_QCVECDppm - CANADA\_QUEBEC VALEUR D"EXPOSITION DE COURTE DURÉE\_ppm", "CAN\_QCVEMPmg - CANADA\_QUEBEC VALEUR D"EXPOSITION MOYENNE PONDÉRÉE\_mg", "CAN\_QCVEMPppm - CANADA\_QUEBEC VALEUR D"EXPOSITION MOYENNE PONDÉRÉE\_ppm", "CANsppm", "CANsppm", "CANtmg", "CANtppm", "OSHA\_SkinDesignation", "OSHA\_Tables\_Z1\_Z2\_Z3", "OSHACarcinogen - OSHA Carcinogen", "OSHAsmg", "OSHAsppm", "OSHAsppm", "OSHAtmg", "OSHAtmg", "OSHAtppm"

## **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

Density Specific Gravity	8.43 lb/gal 1.01
Appearance	Clear Colourless Liquid
Odor Description	N/A
Odor Threshold	N/A
рН	8-11
Melting/Freezing Point	N/A
Low Boiling Point	N/A
High Boiling Point	N/A
Flash Point	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Evaporation Rate	N/A
Upper Explosion Level	N/A

Thamesurf LS-30 Page 4 of 7



CAS Number: 137-16-6 Product Description: Thamesurf LS-30

Lower Explosion Level N/A
Water Solubility N/A
Coefficient Water/Oil N/A

Viscosity 20-80 mPa.s at 25°C

## **SECTION 10) STABILITY AND REACTIVITY**

## **Stability**

Stable under normal storage and handling conditions.

#### **Conditions To Avoid**

Avoid heat, sparks, flame, high temperature and contact with incompatible materials.

## **Hazardous Reactions/Polymerization**

Will not occur.

## **Incompatible Materials**

Strong bases, acids, and oxidizing agents.

### **Hazardous Decomposition Products**

Oxides of carbon.

## **SECTION 11) TOXICOLOGICAL INFORMATION**

## **Acute Toxicity**

Harmful if inhaled

The Acute Toxicity Estimate (ATE) for an oral exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for a dermal exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for an inhalation (vapour) exposure to this mixture is >20 mg/l

#### **Aspiration Hazard**

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Germ Cell Mutagenicity**

Based on available data, the classification criteria are not met.

# **Reproductive Toxicity**

Based on available data, the classification criteria are not met.

### Respiratory/Skin Sensitization

Based on available data, the classification criteria are not met.

# **Serious Eye Damage/Irritation**

Causes serious eye irritation

#### **Skin Corrosion/Irritation**

Causes skin irritation

# **Specific Target Organ Toxicity - Repeated Exposure**

Based on available data, the classification criteria are not met.



CAS Number: 137-16-6 Product Description: Thamesurf

LS-30

## **Specific Target Organ Toxicity - Single Exposure**

Based on available data, the classification criteria are not met.

## **Likely Routes of Exposure**

Inhalation, Ingestion, Skin contact, Eye contact

# **SECTION 12) ECOLOGICAL INFORMATION**

## **Toxicity**

Harmful to aquatic life

## **Persistence and Degradability**

No data available.

#### **Bioaccumulative Potential**

No data available.

**Mobility in Soil** 

No data available.

#### **Other Adverse Effects**

No data available.

## **SECTION 13) DISPOSAL CONSIDERATIONS**

#### **Waste Disposal**

It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, state and local laws. Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes.

## **SECTION 14) TRANSPORT INFORMATION**

	Transport Canada Information	U.S. DOT Information	IMDG Information	IATA Information
UN number:	Not Regulated	Not Regulated	Not Regulated	Not Regulated
Proper shipping name:	N/A	N/A	N/A	N/A
Hazard class:	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Packaging group:	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Hazardous substance (RQ):	No Data Available	No Data Available		
Marine Pollutant:	No Data Available	No Data Available	No Data Available	
Note / Special Provision:	No Data Available	No Data Available	No Data Available	No Data Available

Thamesurf LS-30 Page 6 of 7



CAS Number: 137-16-6 Product Description: Thamesurf LS-30

## **SECTION 15) REGULATORY INFORMATION**

CAS	Chemical Name	% By Weight	Regulation List
0007732-18-5	WATER	70%	DSL, TSCA, AICS, CN_IECSC - Inventory of Existing Chemical Substances Produced or Imported in China, EU_EINECS - European_EC_Inventory_EINECS, EU_EC_Inventory - European_EC_Inventory, PH_PICCS - Philippines, The Philippine Inventory of Chemicals and Chemical Substances, KR_KECI - Korean Existing Chemicals Inventory
0000137-16-6	GLYCINE, N-METHYL-N-(1- OXODODECYL)-, SODIUM SALT (1:1)	30%	DSL, TSCA, AICS, CN_IECSC - Inventory of Existing Chemical Substances Produced or Imported in China, EU_EINECS - European_EC_Inventory_EINECS, EU_EC_Inventory - European_EC_Inventory, PH_PICCS - Philippines, The Philippine Inventory of Chemicals and Chemical Substances, KR_KECI - Korean Existing Chemicals Inventory

# **SECTION 16) OTHER INFORMATION**

## **Glossary**

ACGIH - American Conference of Governmental Industrial Hygienists; CAS - Chemical Abstracts Service; Chemtrec - Chemical Transportation Emergency Center; DSL - Domestic Substances List; ESL- Effects screening levels; GHS - "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations; HMIS - Hazardous Material Information Service; IATA - Dangerous Goods Regulations (DGR) for the air transport (IATA); IMDG - International Maritime Dangerous Goods Code; LC - Lethal Concentration; LD - Lethal Dose; NFPA - National Fire Protection Association; OEL - Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL - Permissible Exposure Limit; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SCBA - Self Contained Breathing Apparatus; ppm - parts per million; STEL - Short-term exposure limit; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time-weighted average; US DOT- US Department of Transportation.

## Version 1.0:

Revision Date: Feb 23, 2023

First Edition.

# **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Thamesurf LS-30 Page 7 of 7