

# SAFETY DATA SHEET

# **SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION**

**CAS Number:** 25322-69-4

Product Name: Propylene Glycol 4000

Revision Date: Mar 06, 2020 Date Printed: Mar 06, 2020

Version: 1.0 Supersedes Date: N.A.

Manufacturer's Name: Thames River Chemical Corp.

Address: 5230 Harvester Road Burlington, ON, CA, L7L 4X4

Emergency Phone: CHEMTREC (800) 424-9300

Information Phone Number: 905-681-5353

Fax: 905-681-5377

Product/Recommended Uses: For laboratory or industrial use only.

# **SECTION 2) HAZARDS IDENTIFICATION**

### Classification

Not classified

**Pictograms** 

None

**Signal Word** 

No signal word available.

# **Precautionary Statements - General**

No precautionary statement available.

# **Precautionary Statements - Prevention**

No precautionary statement available.

# **Precautionary Statements - Response**

No precautionary statement available.

# **Precautionary Statements - Storage**

No precautionary statement available.

# **Precautionary Statements - Disposal**

No precautionary statement available.

# **Physical Hazards Not Otherwise Classified**

No data available.

### **Health Hazards Not Otherwise Classified**

No data available.

# **SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS**

Propylene Glycol 4000 Page 1 of 6

CAS	Chemical Name	% By Weight
0025322-69-4	POLYOXYPROPYLENE GLYCOL	90% - 100%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality or to reflect batch to batch variation.

# **SECTION 4) FIRST-AID MEASURES**

### Inhalation

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### **Eye Contact**

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes or until medical aid is available. Seek medical attention.

### **Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed. If skin irritation occurs or you feel unwell: Get medical advice/attention. Wash contaminated clothing before re-use or discard.

### Ingestion

Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. If in doubt, seek medical assistance

### Most Important Symptoms and Effects, Both Acute and Delayed

No data available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available.

# **SECTION 5) FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

Foam; dry chemical powder; BCF (where regulations permit); Carbon dioxide. Water spray or fog - Large fires only.

# Unsuitable Extinguishing Media

Do not use straight stream of water.

### **Specific Hazards in Case of Fire**

Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive.

#### Fire-fighting Procedures

Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive.

# **Special Protective Actions**

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

# **SECTION 6) ACCIDENTAL RELEASE MEASURES**

# **Emergency Procedure**

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

### **Recommended Equipment**

Wear chemical protective clothing.

### **Personal Precautions**

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

#### **Environmental Precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage

Propylene Glycol 4000 Page 2 of 6

systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

# Methods and Materials for Containment and Cleaning up

Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

# **SECTION 7) HANDLING AND STORAGE**

#### **General**

Avoid smoking, naked lights or ignition sources. When handling, DO NOT eat, drink or smoke. Avoid physical damage to containers.

Use pneumatic and/or mechanical systems for bulk transfer of the substance Use exhaust ventilation and/or dust collecting filters for bulk transfer and storage. Use approved respiratory protection when handling. Keep bulk of materials out of sewer drains. Wash hands after use. Do not get in eyes, on skin or on clothing. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored

### **Ventilation Requirements**

Use only with adequate ventilation to control air contaminants to their exposure limits.

#### **Storage Room Requirements**

Store in dry, cool areas, out of direct sunlight and away from other sources of heat. Store in original containers. Keep containers securely sealed.

# **SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

# **Eye protection**

Wear indirect-vent, impact and splash resistant goggles when working with liquids

#### **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory Protection**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### **Appropriate Engineering Controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANsppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)
No applicable chemical	-	-	-	-	-	-	-	-

Chemical Name	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis
No applicable chemical	-	-	-	-	-	-	-	-

Chemical	ACGIH	ACGIH
Name	Carcinogen	Notations
No applicable chemical	-	-

### **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

Propylene Glycol 4000 Page 3 of 6

# **Physical and Chemical Properties**

Density 8.43 lb/gal Specific Gravity 1.01

Appearance viscious colorless liquid

Odor Description characteristic

Odor Threshold N/A pH 6 - 8

Melting/Freezing Point No Data Available

Low Boiling Point  $> 149 \,^{\circ}\text{C}$ High Boiling Point N/AFlash Point  $> 143 \,^{\circ}\text{C}$ 

Vapor Pressure No Data Available
Vapor Density No Data Available
Evaporation Rate No Data Available

Upper Explosion Level N/A
Lower Explosion Level N/A

Water Solubility partly miscible No Coefficient Water/Oil Data Available

Viscosity 350

# **SECTION 10) STABILITY AND REACTIVITY**

# Reactivity

No data available.

# **Stability**

Stable under normal storage and handling conditions.

#### **Conditions to Avoid**

See section 7

# **Hazardous Reactions/Polymerization**

Hazardous polymerization will not occur.

# **Incompatible Materials**

See section 7

# **Hazardous Decomposition Products**

No data available.

# **SECTION 11) TOXICOLOGICAL INFORMATION**

# **Likely Route of Exposure**

Inhalation, ingestion, skin absorption

# **Acute Toxicity**

Dermal (rabbit) LD50: >20000 mg/kg Inhalation (rat) LC50: >0.17 mg/l 1h Oral (rat) LD50: >2000 mg/kg

No data available.

# **Aspiration Hazard**

No data available.

# Carcinogenicity

No data available.

# **Germ Cell Mutagenicity**

No data available.

### **Reproductive Toxicity**

No data available.

### Respiratory/Skin Sensitization

No data available.

### **Serious Eye Damage/Irritation**

No data available.

### **Skin Corrosion/Irritation**

No data available.

# **Specific Target Organ Toxicity - Repeated Exposure**

No data available.

# **Specific Target Organ Toxicity - Single Exposure**

No data available.

# **Likely Routes of Exposure**

Inhalation, Ingestion, Skin contact, Eye contact

# **SECTION 12) ECOLOGICAL INFORMATION**

### **Toxicity**

LC50 96 Fish: >100mg/L EC50 48 Crustacea: >100mg/L NOEC 504 Crustacea: >=10mg/L EC50 72 Algae or other aquatic plants: >100mg/L

No data available.

### **Mobility in Soil**

No data available.

#### **Bio-accumulative Potential**

No data available.

# **Persistence and Degradability**

No data available.

#### **Other Adverse Effects**

No data available.

# **SECTION 13) DISPOSAL CONSIDERATIONS**

### **Waste Disposal**

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

# **SECTION 14) TRANSPORT INFORMATION**

# **Transport Canada Information**

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A Packaging group: N/A

Propylene Glycol 4000 Page 5 of 6

#### **U.S. DOT Information**

UN number: Not Regulated

Hazard class: N/A
Packaging group: N/A
Proper shipping name: N/A

# **SECTION 15) REGULATORY INFORMATION**

CAS	Chemical Name	% By Weight	Regulation List
	Polyproylene Glcyol	100	TSCA, DSL

The information in this Section does not list components that might have relevant DSL, EU\_EC\_Inventory, TSCA regulatory values, if they are present at less than 100%. Please contact manufacturer for more information.

# **SECTION 16) OTHER INFORMATION**

### **Glossary**

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CANsmg or CANsppm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

#### Version 1.0:

Revision Date: Mar 06, 2020

;

### **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Propylene Glycol 4000 Page 6 of 6