

# SAFETY DATA SHEET

# SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

CAS Number:	57-55-6			
Product Name:	Propylene Glycol			
Revision Date:	Jan 19, 2018	Date Printed:	Jan 22, 2018	
Version:	1.1	Supersedes Date:	Jul 03, 2017	
Manufacturer's Name:	Thames River Chemical Corp.			
Address:	5230 Harvester Road Burlington, ON,	CA, L7L 4X4		
Emergency Phone:	CHEMTREC (800) 424-9300			
Information Phone Numb	er:905-681-5353			
Fax:	905-681-5377			
Product/Recommended U	Ises: For laboratory or industrial use only	'.		

# **SECTION 2) HAZARDS IDENTIFICATION**

# Classification

Not classified

#### Pictograms

None

### Signal Word

No signal word available.

### **Precautionary Statements - General**

No precautionary statement available.

### **Precautionary Statements - Prevention**

No precautionary statement available.

**Precautionary Statements - Response** No precautionary statement available.

# **Precautionary Statements - Storage**

No precautionary statement available.

# **Precautionary Statements - Disposal**

No precautionary statement available.

# **SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS**

CAS

0000057-55-6

**Chemical Name** 

**PROPYLENE GLYCOL** 

% By Weight 99% - 100%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

# **SECTION 4) FIRST-AID MEASURES**

# Inhalation

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a

### POISON CENTER/doctor.

# Eye Contact

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes or until medical aid is available. If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open.

### **Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed. If skin irritation occurs or you feel unwell: Get medical advice/attention. Wash contaminated clothing before re-use or discard.

### Ingestion

Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. If you feel unwell/If concerned: Get medical advice/attention.

### Most Important Symptoms and Effects, Both Acute and Delayed

No Data Available

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

# SECTION 5) FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Small Fire : Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Large Fire: Water spray, fog or alcohol-resistant foam.

### **Unsuitable Extinguishing Media**

Do not use straight stream of water.

### Specific Hazards in Case of Fire

Upon combustion: CO and CO2 are formed.

Fire will produce irritating gases.

#### **Fire-fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely.

### **Special Protective Actions**

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

# SECTION 6) ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

#### **Recommended Equipment**

Wear chemical protective clothing.

### **Personal Precautions**

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

#### **Environmental Precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

## Methods and Materials for Containment and Cleaning up

Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

# **SECTION 7) HANDLING AND STORAGE**

### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored All containers must be properly labelled.

### Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits.

### **Storage Room Requirements**

Store in dry, cool areas, out of direct sunlight and away from other sources of heat. Empty container retain residue and may be dangerous.

# SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Eye protection

Wear indirect-vent, impact and splash resistant goggles when working with liquids

### **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory Protection**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### **Appropriate Engineering Controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANsppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)
No applicable chemical	-	-	-	-	-	-	-	-	-	-	-	-

Cł	nemical Name	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis	ACGIH Carcinogen	ACGIH Notations
No	o applicable chemical	-	-	-	-	-	-

# SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

# Physical and Chemical Properties

 Density Specific Gravity	8.68 lb/gal 1.04
Appearance	clear, colourless, liquid
Odor Description	Odourless
Odor Threshold	N/A
рН	10

Melting Point	<-20 °C
Low Boiling Point	184 °C
High Boiling Point	188 °C
Flash Point	104 °C
Vapor Pressure	0.2 hPa
Vapor Density	2.6 (air=1)
Evaporation Rate	< 0.1
Upper Explosion Level	12.5
Lower Explosion Level	2.6
Water Solubility	completely soluble
Coefficient Water/Oil	-0.92 (Log Po/w)
Viscosity	0.0434 Pa.s (25°C)

# SECTION 10) STABILITY AND REACTIVITY

# Reactivity

No Data Available

# Stability

Stable under normal storage and handling conditions.

### **Conditions to Avoid**

Avoid heat, sparks, flame, high temperature, freezing and contact with incompatible materials.

# **Hazardous Reactions/Polymerization**

Hazardous polymerization will not occur.

# **Incompatible Materials**

### Water & moisture

Strong bases, acids, oxidizing and reducing agents.

### **Hazardous Decomposition Products**

Upon combustion: CO and CO2 are formed.

# SECTION 11) TOXICOLOGICAL INFORMATION

### Likely Route of Exposure

Inhalation, ingestion, skin absorption

# **Acute Toxicity**

LD50 (oral, rat): 21800 mg/kg (cited as 21.0 cc/kg) (28)

LD50 (oral, female rat): 22800 mg/kg (cited as 22.8 g/kg) (31)

LD50 (dermal, rabbit): greater than 2000 mg/kg (evaluated as reliable with restrictions; at 2000 mg/kg, 0/10 rabbits died) (2, unconfirmed) LD50 (dermal, rabbit): 20800 mg/kg (7, unconfirmed)

# **Aspiration Hazard**

No Data Available

# Carcinogenicity

No Data Available

### **Germ Cell Mutagenicity**

No Data Available

# **Reproductive Toxicity**

No Data Available

# **Respiratory/Skin Sensitization**

No Data Available

# Serious Eye Damage/Irritation

No Data Available

# **Skin Corrosion/Irritation**

No Data Available

# Specific Target Organ Toxicity - Repeated Exposure

No Data Available

# Specific Target Organ Toxicity - Single Exposure

No Data Available

# SECTION 12) ECOLOGICAL INFORMATION

Toxicity

No Data Available

# **Mobility in Soil**

No Data Available

# **Bio-accumulative Potential**

No Data Available

# Persistence and Degradability

No Data Available

# **Other Adverse Effects**

No Data Available

# **SECTION 13) DISPOSAL CONSIDERATIONS**

### Waste Disposal

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

# **SECTION 14) TRANSPORT INFORMATION**

### **Transport Canada Information**

UN number: Not Regulated Proper shipping name: N/A Hazard class: N/A

Packaging group: N/A

# **U.S. DOT Information**

UN number: Not Regulated Proper shipping name: N/A Hazard class: N/A Packaging group: N/A

# **SECTION 15) REGULATORY INFORMATION**

CAS	Chemical Name	% By Weight	Regulation List
0000057-55-6	PROPYLENE GLYCOL	99% - 100%	DSL,TSCA,EU_EC_Inventory - EC Inventory

# **SECTION 16) OTHER INFORMATION**

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CANsmg or CANsppm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; SOHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

### Version 1.1:

Revision Date: Jan 19, 2018

# DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.