

# SAFETY DATA SHEET

---

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

---

**CAS Number:** 68187-69-9  
**Product Name:** Thamesurf Acid Foamer  
**Revision Date:** May 09, 2018 **Date Printed:** May 09, 2018  
**Version:** 1.0 **Supersedes Date:** N.A.  
**Manufacturer's Name:** Thames River Chemical Corp.  
**Address:** 5230 Harvester Road Burlington, ON, CA, L7L 4X4  
**Emergency Phone:** CHEMTREC (800) 424-9300  
**Information Phone Number:** 905-681-5353  
**Fax:** 905-681-5377  
**Product/Recommended Uses:** For laboratory or industrial use only.

---

## SECTION 2) HAZARDS IDENTIFICATION

---

### Classification

Acute aquatic toxicity - Category 3  
Eye Irritation - Category 2A

### Pictograms



### Signal Word

Warning

### Hazard Statements - Health

Causes serious eye irritation

### Hazard Statements - Environmental

Harmful to aquatic life

### Precautionary Statements - General

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.

### Precautionary Statements - Prevention

Avoid release to the environment.  
Wash thoroughly/Wash hands thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

**Precautionary Statements - Storage**

No precautionary statement available.

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/national/international regulation. Waste management should be in full compliance with national, regional and local laws.

**Physical Hazards Not Otherwise Classified**

No Data Available

**Health Hazards Not Otherwise Classified**

No Data Available

---

**SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS**

---

CAS	Chemical Name	% By Weight
0068187-69-9	Quaternary ammonium compounds, (hydrogenated tallow alkyl)bis(hydroxyethyl) methyl, ethoxylated, chlorides	99% - 100%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

---

**SECTION 4) FIRST-AID MEASURES**

---

**Inhalation**

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

**Eye Contact**

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes or until medical aid is available. If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open. Seek medical attention if irritation develops or persists.

**Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed. If skin irritation occurs or you feel unwell: Get medical advice/attention. Wash contaminated clothing before re-use or discard.

**Ingestion**

Rinse mouth with water. Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. Get medical advice/attention.

**Most Important Symptoms and Effects, Both Acute and Delayed**

Corrosive effects: Symptoms may include stinging, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result. Prolonged or repeated skin contact may aggravate existing skin conditions. Inhalation of mists may aggravate existing chronic respiratory conditions such as asthma, emphysema or bronchitis.

**Indication of Any Immediate Medical Attention and Special Treatment Needed**

No Data Available

---

**SECTION 5) FIRE-FIGHTING MEASURES**

---

**Suitable Extinguishing Media**

The product is not flammable. Use media suitable for the material that is burning.

**Unsuitable Extinguishing Media**

None

**Specific Hazards in Case of Fire**

Container may rupture on heating.

On combustion or on thermal decomposition: May include carbon oxides, nitrogen oxides

### **Fire-fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely.

### **Special Protective Actions**

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

---

## **SECTION 6) ACCIDENTAL RELEASE MEASURES**

---

### **Emergency Procedure**

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

### **Recommended Equipment**

Wear chemical protective clothing.

### **Personal Precautions**

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

### **Environmental Precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

### **Methods and Materials for Containment and Cleaning up**

Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

---

## **SECTION 7) HANDLING AND STORAGE**

---

### **General**

Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored. All containers must be properly labelled.

### **Ventilation Requirements**

Use only with adequate ventilation to control air contaminants to their exposure limits.

### **Storage Room Requirements**

Keep container tightly closed. Keep away from heat, and sunlight. Storage temperature range: 5-30°C. If material freezes, gently thaw prior to use; mild agitation may be required.

Store in dry, cool areas, out of direct sunlight and away from other sources of heat. Empty container retain residue and may be dangerous.

---

## **SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **Eye protection**

Wear indirect-vent, impact and splash resistant goggles when working with liquids

### **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory Protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

## Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANsppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)
No applicable chemical	-	-	-	-	-	-	-	-	-	-	-	-

Chemical Name	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis	ACGIH Carcinogen	ACGIH Notations
No applicable chemical	-	-	-	-	-	-

---

## SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

---

### Physical and Chemical Properties

Density	9.01 lb/gal
Specific Gravity	1.08
<hr/>	
Appearance	amber liquid
Odor Description	mild characteristic soapy
Odor Threshold	N/A
pH	5-9
Melting/Freezing Point	No Data Available
Low Boiling Point	No Data Available
High Boiling Point	N/A
Flash Point	> 100 °C
Vapor Pressure	No Data Available
Vapor Density	No Data Available
Evaporation Rate	No Data Available
Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	soluble
Coefficient Water/Oil	N/A - surface active agent
Viscosity	low viscosity

---

## SECTION 10) STABILITY AND REACTIVITY

---

### Reactivity

No Data Available

### Stability

Stable under normal storage and handling conditions.

**Conditions to Avoid**

No additional information.

**Hazardous Reactions/Polymerization**

Hazardous polymerization will not occur.

**Incompatible Materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

Oxides of carbon.

---

**SECTION 11) TOXICOLOGICAL INFORMATION**

---

**Likely Route of Exposure**

Inhalation, ingestion, skin absorption

**Acute Toxicity**

Acute oral: LD50 Rat: >2150 mg/kg

Acute dermal: LD50 Rabbit: >5000 mg/kg

**Aspiration Hazard**

No Data Available

**Carcinogenicity**

No Data Available

**Germ Cell Mutagenicity**

No Data Available

**Reproductive Toxicity**

No Data Available

**Respiratory/Skin Sensitization**

No Data Available

**Serious Eye Damage/Irritation**

Causes serious eye irritation

**Skin Corrosion/Irritation**

No Data Available

**Specific Target Organ Toxicity - Repeated Exposure**

No Data Available

**Specific Target Organ Toxicity - Single Exposure**

No Data Available

---

**SECTION 12) ECOLOGICAL INFORMATION**

---

**Toxicity**

Harmful to aquatic life

Fish: LC50 Fathead minnow Pimephales promelas 12 mg/L, 96hrs

**Mobility in Soil**

No Data Available

**Bio-accumulative Potential**

No bioaccumulation is to be expected (log Pow&lt;=4)

**Persistence and Degradability**

No Data Available

**Other Adverse Effects**

No Data Available

---

**SECTION 13) DISPOSAL CONSIDERATIONS**

---

**Waste Disposal**

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

---

**SECTION 14) TRANSPORT INFORMATION**

---

**Transport Canada Information**

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A

Packaging group: N/A

**U.S. DOT Information**

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A

Packaging group: N/A

---

**SECTION 15) REGULATORY INFORMATION**

---

CAS	Chemical Name	% By Weight	Regulation List
0068187-69-9	Quaternary ammonium compounds, (hydrogenated tallow alkyl)bis (hydroxyethyl)methyl, ethoxylated, chlorides	99% - 100%	DSL, TSCA

---

**SECTION 16) OTHER INFORMATION**

---

## Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

### Version 1.0:

Revision Date: May 09, 2018

First Edition.

---

## DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.